

The background of the entire page is a photograph of a person wearing a high-visibility yellow safety jacket over a blue and white striped shirt, and dark work pants. They are wearing yellow work gloves and holding two large, dark brown, fibrous mulch balls in their hands. The image is partially framed by a large green circle on the left and bottom, and a green curved shape at the top. Three white curved lines are also visible in the upper left quadrant.

PRODUKTINFORMATIONSLAD

Fibermull

1. Beskrivning

Fibermull tillverkas genom kompostering av fiberblandslam som är en restprodukt från pappersmassaindustrin. Fibermullen har en hög mullhalt och ett neutralt pH-värde och förbättrar därigenom jordens struktur samt ser till att den håller fukt och näring bättre.

2. Användning

Vid kontinuerlig odling på åkermark sjunker mullhalten i jorden. Det är därför viktigt att tillföra mull för att bibehålla bördigheten i jorden. Fiber-mull är en utmärkt mullhöjande produkt som kan användas inom konventionellt jordbruk eller som torversättning i jordprodukter.

3. Sammansättning

Fibermullen har en mullhalt på ca 80 % och ett pH-värde runt 7,0. Bulkdensitet är ca 1000 kg/m³.

4. Giva

Rekommenderad giva är en 7-årsgiva på ca 20 ton/ha vilket bidrar med ca 12 kg fosfor och 20 kg ammoniumkväve per ha.

5. Leveransfakta

Fibermull levereras i bulk.



Biototal arbetar för full cirkularitet mellan stad och land genom att återvinna, förädla och återföra biologiska och mineraliska restflöden.